

|  |                          |
|--|--------------------------|
| Name: _____  | Date: _____ Event: _____ |
| City: _____ State: _____   | Track: _____             |
| Track <input type="checkbox"/> Indoor <input type="checkbox"/> Tight <input type="checkbox"/> Smooth <input type="checkbox"/> Hard Packed <input type="checkbox"/> Blue Groove <input type="checkbox"/> Wet <input type="checkbox"/> Low Bite <input type="checkbox"/> High Bite<br>Conditions <input type="checkbox"/> Outdoor <input type="checkbox"/> Open <input type="checkbox"/> Rough <input type="checkbox"/> Loose/Loamy <input type="checkbox"/> Dry <input type="checkbox"/> Dusty <input type="checkbox"/> Med Bite <input type="checkbox"/> Other _____ |                          |

**Front Suspension**

Toe: \_\_\_\_\_

Ride Height: \_\_\_\_\_

Camber: \_\_\_\_\_

Caster Block:  17.5  20

Spindle Height:  High  Low

Wheel Hex: \_\_\_\_\_

Sway Bar: \_\_\_\_\_

Piston/Oil: \_\_\_\_\_

Shock Type:  Bladder  Emulsion  Vented

Spring: \_\_\_\_\_

Pills: A \_\_\_\_\_ B \_\_\_\_\_

Overall Shock Length: \_\_\_\_\_

Drag Link/Ackerman: \_\_\_\_\_

Bump Spindle: \_\_\_\_\_ Link: \_\_\_\_\_

Camber Link: \_\_\_\_\_

Shock Location: \_\_\_\_\_

Weight: \_\_\_\_\_

**Differentials**

Front:  Standard  Smart

Spring Wire Dia. \_\_\_\_\_

Qty of Springs: \_\_\_\_\_

Ramp Plate: \_\_\_\_\_

Grease: \_\_\_\_\_

Diff Fluid: \_\_\_\_\_

Center:  Standard  Smart

Spring Wire Dia.: \_\_\_\_\_

Qty of Springs: \_\_\_\_\_

Ramp Plate: \_\_\_\_\_

Grease: \_\_\_\_\_

Diff Fluid: \_\_\_\_\_

**Drive Shaft**

Front:  CVA  UNI

Rear:  CVA  UNI

**Arm Inserts**

Front:  None  Plastic  Carbon

Rear:  None  Plastic  Carbon

**Ackerman**

Notes: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Rear Suspension**

Shocks:  FWD  Back Shock Shaft:  3.5  4.0

Toe/D Pill: \_\_\_\_\_

Anti-Squat/C Pill: \_\_\_\_\_

Ride Height: \_\_\_\_\_

Camber: \_\_\_\_\_

Rear Hub Spacing: \_\_\_\_\_

Hub Height:  A  B  Other

Wheel Hex: \_\_\_\_\_

Sway Bar: \_\_\_\_\_

Piston/Oil: \_\_\_\_\_

Shock Type:  Bladder  Emulsion  Vented

Spring: \_\_\_\_\_

Stroke: \_\_\_\_\_

Overall Shock Length: \_\_\_\_\_

Camber Link: \_\_\_\_\_

Shock Position: \_\_\_\_\_

Rear Diff Fluid: \_\_\_\_\_

Weight: \_\_\_\_\_

**Wing Setup**

Wing Type: \_\_\_\_\_

Wicker Bill:  .250  .350

Notes: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

| Tires     | Front | Rear  |
|-----------|-------|-------|
| Tire:     | _____ | _____ |
| Compound: | _____ | _____ |
| Insert:   | _____ | _____ |
| Additive: | _____ | _____ |

**Electronics**

Radio: \_\_\_\_\_

Servo: \_\_\_\_\_

ESC: \_\_\_\_\_

Initial Brake: \_\_\_\_\_

Drag Brake: \_\_\_\_\_

Throttle Profile: \_\_\_\_\_

Timing Advance: \_\_\_\_\_

Throttle/Brake Expo: \_\_\_\_\_

Throttle/Brake EPA: \_\_\_\_\_

Servo Expo: \_\_\_\_\_

Motor: \_\_\_\_\_

Pinion: \_\_\_\_\_

Spur: \_\_\_\_\_

Battery: \_\_\_\_\_