

Name: <u>Reno Savoya</u>	Date: <u>06/01/2019</u> Event: <u>One Man One Race</u>
City: <u>Lyon</u> State: <u>France</u>	Track: <u>IBR Padova</u>
Track <input checked="" type="checkbox"/> Indoor <input type="checkbox"/> Tight <input checked="" type="checkbox"/> Smooth <input checked="" type="checkbox"/> Hard Packed <input checked="" type="checkbox"/> Blue Groove <input type="checkbox"/> Wet <input checked="" type="checkbox"/> Low Bite <input type="checkbox"/> High Bite Conditions <input type="checkbox"/> Outdoor <input type="checkbox"/> Open <input type="checkbox"/> Rough <input type="checkbox"/> Loose/Loamy <input type="checkbox"/> Dry <input type="checkbox"/> Dusty <input type="checkbox"/> Med Bite <input type="checkbox"/> Other _____ °C	

Front Suspension

Toe: 2° out

Ride Height: 25mm

Camber: -2°

Caster Block: 17,5 20

Spindle Height: High Low

Wheel Hex: 0 (stock)

Sway Bar: 2,0mm

Piston/Oil: 5x1,5mm - 32,5wt

Shock Type: Bladder Emulsion Vented

Spring: EVO Blue

Pills: A 1 down B 1 down

Overall Shock Length: 107,5mm

Drag Link/Ackerman: Full back

Bump Spindle: 1mm Link: 2mm

Camber Link: 2 - B

Shock Location: 3 - outside

Receiver Battery Type: RC Concept 2000

Weight: _____

Differentials

Front: Standard Smart

Spring Wire Dia. _____

Qty of Springs: _____

Ramp Plate: _____

Grease: _____

Diff Fluid: 30 k

Center: Standard Smart

Spring Wire Dia.: _____

Qty of Springs: _____

Ramp Plate: _____

Grease: _____

Diff Fluid: 7 k

Drive Shaft

Front: CVA UNI

Rear: CVA UNI

Arm Inserts

Front: None Plastic Carbon

Rear: None Plastic Carbon

Ackerman

Notes: 20g on the chassis

Front arms moved 2mm back for wheelbase

IFMAR legal

Rear Suspension

Shocks: FWD Back Shock Shaft: 3.5 4.0

Toe/C Pill: 1 inside (2°)

Anti-Squat/C Pill: 1 up (3°)

Ride Height: 31mm

Camber: -2°

Rear Hub Spacing: Full back

Hub Height: A B Other Middle

Wheel Hex: +2mm

Sway Bar: 2,7mm

Piston/Oil: 5x1,5mm + 1x1mm - 27,5 wt

Shock Type: Bladder Emulsion Vented

Spring: EVO orange

Stroke: _____

Overall Shock Length: 122 mm

Camber Link: 1 - D

Shock Position: 4 - outside

Rear Diff Fluid: 3 k

Weight: _____

Wing Setup

Wing Type: _____

Wicker Bill: .250 .350

Notes: JC Lexan wing, drilled, no wicker bill

Aluminium rear hubs

Engine

Engine: RC Concept MC5 world Fuel: THOR 25%

Glow Plug: RC3 TH Head Clearance _____

Pipe/Header: EFRA 2133 Gearing: 14/48

Clutch

Clutch Shoes and Springs Info

4 aluminium

4 green

Tires

	Type	Compound	Insert
Front:	<u>JC Teazers</u>	<u>Green</u>	<u>Dirt tech</u>
Rear:	_____	_____	_____
Notes:	_____		